



University of Wisconsin Population Health Institute: 2015 County Health Rankings



Overall Rankings in Health Outcomes

The overall rankings in health outcomes represent how healthy counties are within the state. The healthiest county in the state is ranked #1. The ranks are based on two types of measures: how long people live and how healthy people feel while alive.

The darker the color, the higher the ranking and the worse the health outcomes per area.



Overall Rankings in Health Factors

The overall rankings in health factors represent what influences the health of a county. They are an estimate of the future health of counties as compared to other counties within a state. The ranks are based on four types of measures: health behaviors, clinical care, social and economic, and physical environment factors.

The darker the color, the higher the ranking and the worse the health factors per area.

Stanislaus (SL) Profile from 2015 Report

Factor	Stanislaus County	Error Margin	Top U.S. Performers*	California	Rank (of 57)^
Health Outcomes					38
Length of Life					37
Premature death	6,876	6,630-7,123	5,200	5,295	
Quality of Life					40
Poor or fair health	22%	19-25%	10%	18%	
Poor physical health days	4.4	3.8-5.0	2.5	3.7	
Poor mental health days	3.9	3.4-4.4	2.3	3.6	
Low birthweight	6.30%	6.1-6.5%	5.90%	6.80%	
Health Factors					50
Health Behaviors					48
Adult smoking	17%	14-20%	14%	13%	
Adult obesity	32%	29-36%	25%	23%	
Food environment index	6.8		8.4	7.5	
Physical inactivity	20%	17-23%	20%	17%	
Access to exercise opportunities	92%		92%	93%	
Excessive drinking	17%	14-21%	10%	17%	
Alcohol-impaired driving deaths	27%		14%	31%	
Sexually transmitted infections	385		138	441	
Teen births	42	41-44	20	34	
Clinical Care					40
Uninsured	20%	18-21%	11%	20%	
Primary care physicians	1,474:1		1,045:1	1,294:1	
Dentists	1,723:1		1,377:1	1,291:1	
Mental health providers	636:01:00		386:01:00	376:01:00	
Preventable hospital stays	59	56-62	41	45	
Diabetic monitoring	83%	80-86%	90%	81%	
Mammography screening	61.60%	58.6-64.6%	70.70%	59.30%	
Social & Economic Factors					50
High school graduation	82%			83%	
Some college	48.70%	47.1-50.2%	71.00%	61.70%	
Unemployment	13.00%		4.00%	8.90%	
Children in poverty	31%	27-34%	13%	24%	
Income inequality	4.7	4.5-4.9	3.7	5.1	
Children in single-parent households	34%	32-36%	20%	32%	
Social associations	5.6		22	5.8	
Violent crime	515		59	425	
Injury deaths	56	53-59	50	46	
Physical Environment					56
Air pollution - particulate matter	9.2		9.5	9.3	
Drinking water violations	28%		0%	3%	
Severe housing problems	28%	27-29%	9%	29%	
Driving alone to work	79%	78-80%	71%	73%	
Long commute - driving alone	30%	29-31%	15%	37%	

* 90th percentile, i.e., only 10% are better. ^Higher rank indicates worse performance. Blank values reflect unreliable or missing data.

<http://www.countyhealthrankings.org/app/#!/california/2015/overview>

STANISLAUS COUNTY'S HEALTH STATUS PROFILE FOR 2015

MORTALITY

RANK ORDER	HEALTH STATUS INDICATOR	2011-2013 DEATHS (AVERAGE)	CRUDE DEATH RATE	AGE-ADJUSTED DEATH RATE	95% CONFIDENCE LIMITS		NATIONAL OBJECTIVE	AGE-ADJUSTED DEATH RATE	
					LOWER	UPPER		CALIFORNIA CURRENT	COUNTY PREVIOUS
45	ALL CAUSES	3,829.0	732.6	778.4	753.5	803.3	a	641.1	779.0
45	ALL CANCERS	823.7	157.6	166.7	155.2	178.3	161.4	151.0	167.5
54	COLORECTAL CANCER	83.3	15.9	17.0	13.5	21.0	14.5	13.9	17.5
41	LUNG CANCER	200.3	38.3	41.1	35.3	46.8	45.5	33.6	45.0
30	FEMALE BREAST CANCER	54.7	20.7	20.3	15.3	26.5	20.7	20.7	21.0
39	PROSTATE CANCER	43.0	16.6	21.7	15.7	29.2	21.8	20.2	21.9
40	DIABETES	103.7	19.8	21.2	17.1	25.4	b	20.8	23.1
50	ALZHEIMER'S DISEASE	188.7	36.1	39.3	33.7	44.9	a	30.8	39.1
57	CORONARY HEART DISEASE	722.7	138.3	148.0	137.1	158.9	103.4	103.8	160.6
47	CEREBROVASCULAR DISEASE (STROKE)	209.7	40.1	43.7	37.7	49.6	34.8	35.9	45.4
41	INFLUENZA/PNEUMONIA	81.7	15.6	16.8	13.3	20.8	a	16.3	20.8
44	CHRONIC LOWER RESPIRATORY DISEASE	237.0	45.3	49.6	43.2	56.0	a	35.9	46.8
38	CHRONIC LIVER DISEASE AND CIRRHOSIS	71.7	13.7	13.9	10.9	17.5	8.2	11.7	13.5
30	ACCIDENTS (UNINTENTIONAL INJURIES)	198.3	37.9	38.3	32.9	43.7	36.4	27.9	36.4
40	MOTOR VEHICLE TRAFFIC CRASHES	67.0	12.8	13.1	10.2	16.6	12.4	7.6	10.2
21	SUICIDE	55.7	10.7	11.0	8.3	14.3	10.2	10.2	11.1
46	HOMICIDE	36.3	7.0	6.7	4.7	9.3	5.5	5.1	6.4
32	FIREARM-RELATED DEATHS	53.0	10.1	10.1	7.5	13.1	9.3	7.8	9.7
34	DRUG-INDUCED DEATHS	81.0	15.5	15.3	12.1	19.0	11.3	11.1	16.5

MORBIDITY

RANK ORDER	HEALTH STATUS INDICATOR	2011-2013 CASES (AVERAGE)	CRUDE CASE RATE	95% CONFIDENCE LIMITS		NATIONAL OBJECTIVE	CRUDE CASE RATE	
				LOWER	UPPER		CALIFORNIA CURRENT	COUNTY PREVIOUS
33	AIDS INCIDENCE (AGE 13 AND OVER)	14.7	3.5 *	1.9	5.8	12.4	8.1	6.3
38	CHLAMYDIA INCIDENCE	1,924.3	368.2	351.7	384.6	c	442.6	362.3
44	GONORRHEA INCIDENCE FEMALE AGE 15-44	144.3	132.9	111.2	154.6	251.9	152.8	89.4
43	GONORRHEA INCIDENCE MALE AGE 15-44	154.7	139.0	117.1	161.0	194.8	213.1	81.0
20	TUBERCULOSIS INCIDENCE	8.7	1.7 *	0.7	3.2	1.0	5.9	3.6 *

INFANT MORTALITY

RANK ORDER	HEALTH STATUS INDICATOR	2010-2012 DEATHS (AVERAGE)	BIRTH COHORT (BC)		95% CONFIDENCE LIMITS		NATIONAL OBJECTIVE	BC INFANT DEATH RATE	
			INFANT DEATH RATE		LOWER	UPPER		CALIFORNIA CURRENT	COUNTY PREVIOUS
45	INFANT MORTALITY: ALL RACES	48.0	6.2		4.6	8.3	6.0	4.8	6.0
52	INFANT MORTALITY: ASIAN/PI	2.7	5.9 *		1.1	18.3	6.0	3.6	8.8 *
54	INFANT MORTALITY: BLACK	3.7	22.5 *		5.7	60.0	6.0	9.8	20.1 *
48	INFANT MORTALITY: HISPANIC	27.3	6.6		4.4	9.6	6.0	4.7	6.5
32	INFANT MORTALITY: WHITE	12.3	4.7 *		2.4	8.1	6.0	3.9	4.1 *

NATALITY

RANK ORDER	HEALTH STATUS INDICATOR	2011-2013 BIRTHS (AVERAGE)	PERCENT	95% CONFIDENCE LIMITS		NATIONAL OBJECTIVE	PERCENTAGE	
				LOWER	UPPER		CALIFORNIA CURRENT	COUNTY PREVIOUS
25	LOW BIRTHWEIGHT INFANTS	476.3	6.2	5.7	6.8	7.8	6.8	6.3
30	FIRST TRIMESTER PRENATAL CARE	5,901.0	78.5	76.5	80.5	77.9	83.6	77.3
48	ADEQUATE/ADEQUATE PLUS PRENATAL CARE	5,038.0	69.7	67.7	71.6	77.6	79.2	71.0

RANK ORDER	HEALTH STATUS INDICATOR	2011-2013 BIRTHS (AVERAGE)	AGE-SPECIFIC BIRTH RATE	95% CONFIDENCE LIMITS		NATIONAL OBJECTIVE	AGE-SPECIFIC BIRTH RATE	
				LOWER	UPPER		CALIFORNIA CURRENT	COUNTY PREVIOUS
42	BIRTHS TO MOTHERS AGED 15-19	661.3	32.3	29.9	34.8	a	25.5	43.0

BREASTFEEDING

RANK ORDER	HEALTH STATUS INDICATOR	2011-2013 BIRTHS (AVERAGE)	PERCENT	95% CONFIDENCE LIMITS		NATIONAL OBJECTIVE	PERCENTAGE	
				LOWER	UPPER		CALIFORNIA CURRENT	COUNTY PREVIOUS
52	BREASTFEEDING INITIATION	5,891	87.1	84.9	89.4	81.9	92.3	d

CENSUS

RANK ORDER	HEALTH STATUS INDICATOR	2012 NUMBER	PERCENT	95% CONFIDENCE LIMITS		NATIONAL OBJECTIVE	PERCENTAGE	
				LOWER	UPPER		CALIFORNIA CURRENT	COUNTY PREVIOUS
42	PERSONS UNDER 18 IN POVERTY	39,172	27.1	26.8	27.4	a	23.6	31.3

- Rates, percentages and confidence limits are not calculated for zero events.
- * Rates are deemed unreliable based on fewer than 20 data elements.
- a Healthy People 2020 (HP 2020) National Objective has not been established.
- b National Objective is based on both underlying and contributing cause of death which requires use of multiple cause of death files. California's data exclude multiple/contributing causes of death.
- c Prevalence data are not available in all California counties to evaluate the Healthy People 2020 National Objective STD-1, as the Healthy People objective is restricted to females who are 15-24 years old and identified at a family planning clinic, and males and females under 24 years old who participate in a national job-training program.
- d Data not available.

Note Crude death rates, crude case rates, and age-adjusted death rates are per 100,000 population. Birth cohort infant death rates are per 1,000 live births.

The age-specific birth rates are per 1,000 female population aged 15 to 19 years old.

County Previous refers to previous period rates. These periods vary by type of rate: Mortality 2008-2010, Morbidity 2008-2010, Infant Mortality 2007-2009, Natality 2008-2010, Census 2011.

- Sources** State of California, Department of Finance, Race/Hispanics Population with Age and Gender Detail, 2000–2010. Sacramento, California, September 2012.
 State of California, Department of Finance, Report P-3: State and County Population Projections by Race/Ethnicity, Detailed Age, and Gender, 2010-2060. Sacramento, California, January 2013.
 California Department of Public Health, 2011-2013 Death Statistical Master Files.
 California Department of Public Health, Office of AIDS, HIV/AIDS Surveillance Section, data as of 12/31/2014.
 California Department of Public Health, STD Control Branch, Data Request, October 2014. Chlamydia data.
 California Department of Public Health, STD Control Branch, Data Request, September 2014. Gonorrhea data.
 California Department of Public Health, Tuberculosis Control Branch, Report on Tuberculosis in California, 2013. Richmond, CA, July 2014, Page 27.
 California Department of Public Health, 2010-2012 Birth Cohort-Perinatal Outcome Files.
 California Department of Public Health, 2011-2013 Birth Statistical Master Files.
 California Department of Public Health, Center for Family Health, Genetic Disease Screening Program, Newborn Screening Data, 2011-2013.
 California Department of Public Health, Center for Family Health, Maternal, Child and Adolescent Health Program.
 U.S. Census Bureau, Small Area Income and Poverty Estimates. <http://www.census.gov/did/www/saipa/data/statecounty/data/2012.html>. Accessed October 2014.

STANISLAUS COUNTY
County Health Status Profile Data Analysis for 2015

Rate Type	Table Number	Table Description	Profiles 2015 Rate	2015 Rank	+ Comparison Period Rate	2014 Rank	Amount of Change	* Percentage Change	Rank Change	Healthy People Objective	Compared to CA
AAR	1	ALL CAUSES	778.4	45	779.0	44	-0.6	-0.1	1	NONE	wrs
AAR	2	ALL CANCERS	166.7	45	167.5	40	-0.8	-0.5	5	not met	wrs
AAR	3	COLORECTAL CANCER	17.0	54	17.5	53	-0.5	-3.1	1	not met	wrs
AAR	4	LUNG CANCER	41.1	41	45.0	40	-3.9	-8.8	1	MET	wrs
AAR	5	FEMALE BREAST CANCER	20.3	30	21.0	19	-0.7	-3.5	11	MET	BTR
AAR	6	PROSTATE CANCER	21.7	39	21.9	24	-0.3	-1.2	15	MET	wrs
AAR	7	DIABETES	21.2	40	23.1	42	-1.8	-8.0	-2	NONE	wrs
AAR	8	ALZHEIMER'S DISEASE	39.3	50	39.1	52	0.2	0.6	-2	NONE	wrs
AAR	9	CORONARY HEART DISEASE	148.0	57	160.6	57	-12.6	-7.8	0	not met	wrs
AAR	10	CEREBROVASCULAR DISEASE (STROKE)	43.7	47	45.4	39	-1.8	-3.9	8	not met	wrs
AAR	11	INFLUENZA/PNEUMONIA	16.8	41	20.8	47	-4.1	-19.5	-6	NONE	wrs
AAR	12	CHRONIC LOWER RESPIRATORY DISEASE	49.6	44	46.8	42	2.7	5.9	2	NONE	wrs
AAR	13	CHRONIC LIVER DISEASE AND CIRRHOSIS	13.9	38	13.5	39	0.4	3.0	-1	not met	wrs
AAR	14	ACCIDENTS (UNINTENTIONAL INJURIES)	38.3	30	36.4	30	1.9	5.2	0	not met	wrs
AAR	15	MOTOR VEHICLE TRAFFIC CRASHES	13.1	40	10.2	31	2.9	27.9	9	not met	wrs
AAR	16	SUICIDE	11.0	21	11.1	21	-0.2	-1.4	0	not met	wrs
AAR	17	HOMICIDE	6.7	46	6.4	46	0.3	4.9	0	not met	wrs
AAR	18	FIREARM-RELATED DEATHS	10.1	32	9.7	29	0.4	4.0	3	not met	wrs
AAR	19	DRUG-INDUCED DEATHS	15.3	34	16.5	39	-1.3	-7.6	-5	not met	wrs
CCR	21	CHLAMYDIA INCIDENCE	368.2	38	362.3	42	5.9	1.6	-4	NONE	BTR
CCR	22F	GONORRHEA INCIDENCE FEMALES AGED 15-44	132.9	44	89.4	39	43.5	48.6	5	MET	BTR
CCR	22M	GONORRHEA INCIDENCE MALES AGED 15-44	139.0	40	81.0	43	58.1	71.7	-3	MET	BTR
IMR	24A	INFANT MORTALITY: ALL RACES	6.2	45	6.0	36	0.3	4.4	9	not met	wrs
IMR	24D	INFANT MORTALITY: HISPANIC	6.6	48	6.5	49	0.1	2.2	-1	not met	wrs
PER	25	LOW BIRTHWEIGHT INFANTS	6.2	25	6.3	25	-0.1	-1.3	0	MET	BTR
ASB	26	BIRTHS TO MOTHERS AGED 15-19	32.3	42	43.0	43	-10.7	-24.8	-1	NONE	wrs
PER	27A	FIRST TRIMESTER PRENATAL CARE	78.5	30	77.3	30	1.2	1.5	0	MET	wrs
PER	27B	ADEQUATE/ADEQUATE PLUS PRENATAL CARE	69.7	48	71.0	49	-1.4	-1.9	-1	not met	wrs
PER	28	BREASTFEEDING INITIATION	87.1		a				0	MET	wrs

A comparison could not be made for the following tables due to unreliable rates in either or both years.

CCR	20	AIDS INCIDENCE (AGE 13 AND OVER)									
CCR	23	TUBERCULOSIS INCIDENCE									
IMR	24B	INFANT MORTALITY: ASIAN/PI									
IMR	24C	INFANT MORTALITY: BLACK									
IMR	24E	INFANT MORTALITY: WHITE									

Column Headings

Rate Type

AAR = Age-adjusted rate

CCR = Crude case rate

IMR = Infant mortality rate

PER = Percentage

ASB = Age-specific birth rate

For more information about rates, please see *County Health Status Profiles 2015*, Technical Notes.

+ a Commensurable Comparison Period Rate is not available.

* Rate change percentages were calculated before rates were rounded and might differ slightly rate from change percentages calculated from rates rounded to the nearest one-tenth.

Profiles 2015 Rates are based on 2011-2013 data. The one exception is Infant Mortality Rates (2010-2012).

Comparison Period Rates are based on 2008-2010 data. The one exception is Infant Mortality Rates (2007-2009).

Amount of Change & Percentage Change

For **Tables 1 to 26**, negative numbers indicate improvement because smaller numbers indicate better results.

For **Tables 27A and 27B**, positive numbers indicate improvement because for these tables larger numbers indicate better results.

The target rates established for **Healthy People 2020 National Objectives** were applied.

Compared to CA category indicates if the county's performance was worse (**wrs**), better (**BTR**) or equal to (=) the State of California.